

## PLANOGRAM BACKING TABLE

BEST MARKET HUNTINGTON 2.psa

## Planogram: 4 Double Door Cooler

Segment #1 : Shelf #5 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 1.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
15	1		1820011308	Budweiser 18/12B	2.0	2	2	10.4	70.0
16	1		1820011218	Budweiser 18/12C	4.0	4	4	13.9	105.0
17	1		1820011168	Budweiser 24/12C	2.0	2	1	18.7	39.0
18	1		1820053168	Bud Light 24/12C	2.0	2	1	9.7	75.0
19	2		1820053308	Bud Light 18/12B	4.0	4	2	12.3	119.0
20	1		1820000769	Bud Light 12/12B	2.0	4	2	18.0	81.0

Segment #1 : Shelf #4 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 22.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
11	1		1820020077	Natural Light 15/12C	2.0	4	2	11.0	133.0
12	1		7143934450	Rolling Rock 12/12C	2.0	4	2	25.6	57.0
13	1		1820011047	Budweiser 12/12C	2.0	4	2	13.8	106.0
14	1		1820000771	Budweiser 12/12B	1.0	2	1	15.2	48.0

Segment #1 : Shelf #3 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 33.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
7	1		1820028443	Natural Ice 15/12C	2.0	4	2	21.8	67.0
8	1		2210000170	Pabst 12/12C	2.0	4	2	37.4	39.0
9	1		3410001509	Miller High Life 12/12B	1.0	2	1	15.9	46.0
10	1		1820000834	Budweiser 6/12B	1.0	4	1	28.1	52.0

Segment #1 : Shelf #2 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 45.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
4	2		1820000016	Budweiser 6/12C	4.0	16	2	62.1	94.0
5	1		1820020069	Budweiser Amber Lager 1933 6/12B	1.0	4	1	56.2	26.0
6	2		1820021985	Budweiser 3/25C	2.8	14	1	39.3	130.0

Segment #1 : Shelf #1 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
1	2		1820000784	O'Doul's 6/12B	2.0	8	1	29.2	100.0
2	2		8248812700	Becks NA 6/12B	2.0	8	1	292.0	10.0
3	2		4257205715	Clausthaler NA 6/12B	2.0	8	1	47.1	62.0

Segment #2 : Shelf #5 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 1.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
35	2		1820053218	Bud Light 18/12C	8.0	8	4	18.1	161.0
36	1		3410057340	Miller Lite 18/12C	4.0	4	4	35.6	41.0
37	1		7199000048	Coors Light 12/12C	3.0	6	3	13.6	161.0
38	1		7199030017	Coors Light 18/12C	3.0	3	3	5.5	199.0

Segment #2 : Shelf #4 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 22.00 in

POS	#	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
-----	---	-----	-----	------	-------	----------	------------	-----	------

## PLANOGRAM BACKING TABLE

32	2	1820053047	Bud Light 12/12C	4.0	8	2	23.5	124.0
33	2	3410057509	Miller Lite 12/12B	2.0	4	1	25.6	57.0
34	1	8992427896	Yuengling Traditional Lager 12/12B	1.0	2	1	10.4	70.0

Segment #2 : Shelf #3 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 33.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
28	2	1820000833	Bud Light 6/12B	2.0	8	1	45.6	64.0
29	1	3410057636	Miller Lite 12/12C	1.0	2	1	22.8	32.0
30	2	8992427891	Yuengling Traditional Lager 6/12B	2.0	8	1	24.5	119.0
31	1	1820014990	Bud Light Lime 12/12B	1.0	2	1	13.8	53.0

Segment #2 : Shelf #2 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 45.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
24	2	1820021986	Bud Light 3/25C	2.8	14	1	78.6	65.0
25	2	3410057505	Miller Lite 6/12B	2.0	8	1	146.0	20.0
26	1	1820018993	Bud Light Platinum 6/12B	1.0	4	1	39.5	37.0
27	1	1820014991	Bud Light Lime 6/12B	1.0	4	1	21.8	67.0

Segment #2 : Shelf #1 DEPTH: 22 in WIDTH: 45 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
21	2	8769283102	Twisted Tea 6/12B	2.0	8	1	108.1	27.0
22	2	8769275102	Twisted Tea Half & Half 6/12B	2.0	8	1	0.0	0.0
23	2	8200072385	Smirnoff Ice 6/11B	2.0	8	1	243.3	12.0

Segment #3 : Shelf #5 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 1.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
53	1	7199031600	Coors Light 24/12C	2.0	2	1	12.8	57.0
54	1	7199030078	Coors Light 18/12B	2.0	2	2	6.1	119.0
55	1	1820005990	Michelob Ultra 12/12B	2.0	4	2	8.2	177.0
56	3	7861500014	Stella Artois 12/11B	6.0	12	2	18.3	240.0

Segment #3 : Shelf #4 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 23.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
50	2	7199030069	Coors Light 12/12B	2.0	4	1	13.5	108.0
51	2	7861500016	Stella Artois 12/11C	3.0	6	1	66.4	33.0
52	2	7861500001	Stella Artois 6/11B	2.0	8	1	18.0	162.0

Segment #3 : Shelf #3 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 34.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
46	2	63598512998	Mikes Hard Variety Pack 12/11B	2.0	4	1	31.1	47.0
47	1	1820020082	Michelob Ultra Pure Gold 6/12B	1.0	4	1	52.1	28.0
48	2	1820005989	Michelob Ultra 6/12B	2.0	8	1	37.9	77.0
49	1	1820012998	Land Shark Lager 12/12B	1.0	2	1	25.2	29.0

Segment #3 : Shelf #2 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 45.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
42	2	7199030120	Coors Light 3/24C	2.8	14	1	64.7	79.0
43	2	7199030005	Coors Light 6/12B	2.0	8	1	26.1	112.0
44	1	7199030104	Coors Light 9/16AL	1.0	2	1	13.5	54.0
45	1	1820012982	Land Shark Lager 6/12B	1.0	4	1	44.2	33.0

## PLANOGRAM BACKING TABLE

Segment #3 : Shelf #1 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
39	2	63598510062	Mikes Hard Lemonade 6/11B	2.0	8	1	20.7	141.0
40	2	63598506074	Mikes Hard Seasonal 6/11B	2.0	8	1	29.8	98.0
41	2	63598506744	Mikes Hard Black Cherry Lemonade 6/11B	2.0	8	1	22.8	128.0

Segment #4 : Shelf #5 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 1.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
73	1	7289000159	Heineken Premium Light 12/12B	2.0	4	2	9.4	156.0
74	2	7289000016	Heineken 12/12B	4.0	8	2	11.5	510.0
75	2	7289000016	Heineken 12/12B	4.0	8	2	11.5	510.0
76	1	3354495042	Corona Premier 12/12B	2.0	4	2	10.9	134.0

Segment #4 : Shelf #4 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 23.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
69	1	7289000158	Heineken Premium Light 6/12B	1.0	4	1	31.7	46.0
70	3	7289000011	Heineken 6/12B	3.0	12	1	39.5	111.0
71	1	7289000020	Heineken 12/12C	2.0	4	2	9.2	158.0
72	1	3354495041	Corona Premier 6/12B	1.0	4	1	22.1	66.0

Segment #4 : Shelf #3 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 34.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
64	2	8248812300	Becks 12/12B	2.0	4	1	34.0	43.0
65	1	7289010016	Amstel Light 12/12B	1.0	2	1	24.3	30.0
66	1	7231163012	Dos Equis Lager 6/12B	1.0	4	1	37.4	39.0
67	1	7289000454	Heineken 3/16C	2.0	8	1	37.9	77.0
68	1	7289000621	Heineken 0.0 6/12B	1.0	4	1	0.0	0.0

Segment #4 : Shelf #2 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 45.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
60	2	8248812345	Becks 6/12B	2.0	8	1	59.6	49.0
61	1	18195400002	Peroni Nastro Azzuro 6/12B	1.0	4	1	25.2	58.0
62	1	8382010401	Guinness Draught 6/11B	1.0	4	1	121.7	12.0
63	2	8382012393	Guinness Extra Stout 6/12B	2.0	8	1	22.5	130.0

Segment #4 : Shelf #1 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
57	2	1820020993	Bud Light Lime Straw-Ber-Rita 12/8C	4.0	8	2	55.1	53.0
58	2	1820019987	Bud Light Lime-A-Rita 12/8C	4.0	8	2	71.2	41.0
59	3	8382012360	Guinness Draught 4/15C	2.0	12	1	57.6	76.0

Segment #5 : Shelf #5 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 1.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
99	1	8066095675	Corona Light 12/12B	2.0	4	2	4.7	312.0
100	4	8066095615	Corona Extra 12/12B	8.0	16	2	7.2	814.0
101	1	8066095757	Modelo 12/12B	1.0	2	2	4.3	168.0

Segment #5 : Shelf #4 DEPTH: 22 in WIDTH: 47 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 23.00 in

### PLANOGRAM BACKING TABLE

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
95	1	8066095625	Corona Light 6/12B	1.0	4	1	15.4	95.0
96	3	8066095605	Corona Extra 6/12B	3.0	12	1	15.7	279.0
97	1	8066095695	Corona Extra 12/12C	1.0	2	1	9.2	79.0
98	1	8066095765	Modelo 6/12B	0.8	3	1	14.0	78.0

Segment #5 : Shelf #3      DEPTH: 22 in    WIDTH: 47 in    DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 34.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
89	2	7289000119	Heineken 1/24C	1.2	14	1	18.2	281.0
90	2	8248812377	Becks 4/16C	1.3	8	1	8.3	353.0
91	2	7089701331	Fosters Lager 1/25C	1.0	12	1	11.1	394.0
92	2	8066095643	Corona Extra 1/24C	1.2	14	1	24.4	209.0
93	2	3354495047	Corona Premier 1/24C	1.2	14	1	0.0	0.0
94	1	8066095715	Modelo 12/12C	2.0	4	2	26.5	55.0

Segment #5 : Shelf #2      DEPTH: 22 in    WIDTH: 47 in    DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 45.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
83	2	1820025013	Natty Daddy 1/25C	0.9	14	1	11.8	433.0
84	3	1820025000	Budweiser 1/25C	1.4	21	1	32.3	237.0
85	3	1820025001	Bud Light 1/25C	1.4	21	1	30.9	248.0
86	3	7199030065	Coors Light 1/24C	1.8	21	1	27.1	283.0
87	2	1820025505	Bud Light Lime Straw-Ber-Rita 1/25C	0.9	14	1	58.1	88.0
88	2	1820025014	Bud Light Lime-A-Rita 1/25C	0.9	14	1	30.1	170.0

Segment #5 : Shelf #1      DEPTH: 22 in    WIDTH: 47 in    DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
77	3	1820025006	Bud Ice 1/25C	1.4	21	1	18.9	405.0
78	2	1820025002	Natural Light 1/25C	0.9	14	1	21.0	243.0
79	2	1820025008	Natural Ice 1/25C	0.9	14	1	13.2	386.0
80	2	7199047712	Keystone Ice 1/24C	1.2	14	1	11.8	433.0
81	2	7199048024	Keystone Light 1/24C	1.2	14	1	19.7	260.0
82	4	7199010071	Coors 1/24C	2.3	28	1	11.2	914.0

SKUs on Planogram: 100