



Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39

4 Door Cooler

11 Door Cooler





Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39





Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39



Print Date

5/2/2019

Segment Width: 30.00

Page: 7 of 23



Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39





Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39





King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39

11 Door Cooler





Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39



Print Date

5/2/2019

Segment Width: 30.00

Page: 11 of 23



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






Clare Rose



King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39






King Kullen #39 Garden City Park NY

23-05 Jericho Turnpike, Garden City Park NY

39



PLANOGRAM BACKING TABLE

KK#39 - Garden City.psa

Planogram: King Kullen Garden City Park

Segment #1 : Shelf #1 DEPTH: 20 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
15	1	63598554890	WHITE CLAW VARIETY PACK 12/12 CAN	3.0	6	3	8.3	5.1
16	1	85389700227	BON AND VIV SPIKED SELTZER VARIE...	3.0	6	2	5.9	7.1
17	1	1820005990	MICHELOB ULTRA 12/12 BTL	2.0	4	2	6.5	4.3
18	1	1820096624	MICHELOB ULTRA 18/12 BTL	2.0	2	2	8.9	1.6

Segment #2 : Shelf #3 DEPTH: 24 in WIDTH: 120 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
11	1	63598526089	White Claw Blk Cherry HrdSeltzer 12/12C...	1.5	3	1	0.0	0.0
12	1	8200078142	SMIRNOFF SPIKED SPARKLING SELT...	1.5	3	1	23.7	0.9
13	1	1820020083	MICHELOB ULTRA PURE GOLD 12/12 ...	1.0	2	1	10.7	1.3
14	1	1820006991	MICHELOB ULTRA 12/12 CAN	1.5	3	1	9.0	2.3
28	1	1820096721	MICHELOB ULTRA 18/12 CAN	3.0	3	1	4.8	4.4
29	1	63598512998	MIKES HARD VARIETY PACK 12/11.2 B...	1.0	2	1	4.0	3.5
30	1	8769200660	ANGRY ORCHARD ROSE 6/12 BTL	0.8	3	1	3.0	7.1
42	1	8769200149	ANGRY ORCHARD GREEN APPLE 6/12...	0.8	3	1	10.5	2.0
43	1	8066095615	CORONA 12/12 BTL	1.0	2	1	3.1	17.9
44	1	8066095623	CORONA LIGHT 18/12 BTL	3.0	3	1	13.3	1.6
58	1	7289000011	HEINEKEN 6/12 BTL	1.0	4	1	5.4	5.2
59	1	7289000158	HEINEKEN LIGHT 6/12 BTL	0.8	3	1	8.1	2.6
60	1	7289000159	HEINEKEN LIGHT 12/12 BTL	1.5	3	1	4.3	4.8
61	1	7289000188	HEINEKEN LIGHT 12/12 CAN	1.5	3	1	12.7	1.7

Segment #2 : Shelf #2 DEPTH: 24 in WIDTH: 120 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
6	1	8769200686	TRULY BERRY VARIETY 12/12 CAN (SL...	1.5	3	1	10.5	2.0
7	1	3354495076	SVEDKA SPARKLING SELTZER VARIE...	1.5	3	1	10.2	2.1
8	1	1820020082	MICHELOB ULTRA PURE GOLD 6/12 BTL	0.8	3	1	14.4	1.5
9	1	1820005989	MICHELOB ULTRA 6/12 BTL	0.8	3	1	5.8	3.6
10	1	3354400013	CORONA REFRESCA VARIETY 12/12 C...	1.5	3	1	0.0	0.0
23	1	3410051681	CAPE LINE VARIETY PACK 12/12 CAN	1.5	3	1	0.0	0.0
24	1	1820020130	Ritas Spritz Variety Pack 12/12C SC	1.5	3	1	0.0	0.0
25	1	63598526042	MIKES HARD VARIETY PACK 8/16 CAN	0.7	2	1	12.6	1.1
26	1	8769283134	TWISTED TEA ORIGINAL 12/12 CAN	1.5	3	1	4.4	4.8
27	1	8769282102	ANGRY ORCHARD CRISP APPLE 6/12 ...	0.8	3	1	4.7	4.5
38	1	8066095715	MODELO ESPECIAL 12/12 CAN	1.0	2	1	9.6	1.5
39	1	8066095695	CORONA 12/12 CAN	1.5	3	1	11.4	1.8
40	1	8066095621	CORONA LIGHT 12/12 CAN	1.5	3	1	8.3	2.5
41	1	3354495042	CORONA PREMIER 12/12 BTL	1.5	3	1	4.0	5.3
53	1	7289010016	AMSTEL LIGHT 12/12 BTL	1.0	2	1	6.3	2.2
54	1	8382012360	GUINNESS DRAUGHT STOUT 4/14.9 C...	0.7	4	1	7.5	3.7
55	1	8382010401	GUINNESS DRAUGHT STOUT 6/11.2 B...	0.8	3	1	9.7	2.2
56	1	8382012393	GUINNESS EXTRA STOUT 6/12 BTL	0.8	3	1	5.3	4.0
57	1	8382018132	GUINNESS BLONDE AMERICAN LAGE...	0.8	3	1	14.4	1.5

Segment #2 : Shelf #1 DEPTH: 24 in WIDTH: 120 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
1	1	63598520025	WHITE CLAW BLACK CHERRY 6/12 CAN	0.8	3	1	12.5	1.7
2	1	8769200424	TRULY VARIETY PACK 12/12 CAN	1.5	3	1	4.6	4.6
3	1	1820028548	Bon & Viv SS Variety Pack 6/12C	0.8	3	1	0.0	0.0
4	1	63598506744	MIKES HARD BLACK CHERRY LEMON...	1.0	4	1	6.6	4.3

PLANOGRAM BACKING TABLE

5	1	63598506074	MIKES HARD SEASONAL 6/11.2 BTL	0.8	3	1	5.2	4.1
19	1	63598510062	MIKES HARD LEMONADE 6/11.2 BTL	1.0	4	1	6.3	4.4
20	1	8769283102	TWISTED TEA ORIGINAL 6/12 BTL	1.0	4	1	16.5	1.7
21	1	8769275102	TWISTED TEA HALF AND HALF 6/12 BTL	1.0	4	1	14.3	2.0
22	1	8834510201	STRONGBOW ROSE 6/11.2 BTL	0.8	3	1	14.4	1.5
34	1	1820024001	STELLA ARTOIS CIDRE 6/12 BTL	0.8	3	1	13.7	1.5
35	1	8066095605	CORONA 6/12 BTL	1.0	4	1	4.0	7.0
36	1	8066095625	CORONA LIGHT 6/12 BTL	1.0	4	1	5.9	4.8
37	1	3354495041	CORONA PREMIER 6/12 BTL	1.0	4	1	11.7	2.4
48	1	2050700011	BITBURGER 4/16.9 CAN (WRAP)	0.7	4	1	9.3	3.0
49	1	18195400002	PERONI 6/11.2 BTL	1.0	4	1	3.4	8.2
50	1	18195400115	PERONI 6/11.2 CAN	1.5	6	2	10.7	3.9
51	1	76227481393	BODDINGTONS PUB ALE 4/14.9 CAN	0.7	4	1	15.5	1.8
52	1	8205410454	WARSTEINER PREMIUM 6/11.2 BTL	0.8	3	1	8.4	2.5

Segment #2 : Shelf #4 DEPTH: 20 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
31	1	8066095757	MODELO ESPECIAL 12/12 BTL	1.0	2	2	3.8	3.7
32	1	8066095408	Coronita Extra 24/7B	2.0	2	2	0.0	0.0
33	1	8066095680	CORONA 18/12 BTL	2.0	2	2	5.6	2.5

Segment #3 : Shelf #1 DEPTH: 20 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
45	1	8066095615	CORONA 12/12 BTL	2.0	4	2	3.1	17.9
46	1	8066095615	CORONA 12/12 BTL	1.0	2	2	3.1	17.9
47	1	8066095675	CORONA LIGHT 12/12 BTL	2.0	4	2	2.8	10.2

Segment #4 : Shelf #1 DEPTH: 20 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
62	1	7289000152	HEINEKEN 18/12 BTL	2.0	2	2	12.6	1.1
63	2	7289000016	HEINEKEN 12/12 BTL	4.0	8	2	4.6	12.2
64	1	7289000020	HEINEKEN 12/12 CAN	1.0	2	1	5.1	2.8

Segment #5 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
78	1	8248812300	BECKS 12/12 BTL	2.0	4	2	8.3	3.4
79	1	78615000016	STELLA ARTOIS 12/11.2 CAN	4.0	8	2	25.5	2.2
80	2	78615000014	STELLA ARTOIS 12/11.2 BTL	4.0	8	2	4.2	13.4

Segment #5 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
74	1	8248812345	BECKS 6/12 BTL	0.8	3	1	15.8	1.3
75	1	1820020982	STELLA ARTOIS VARIETY PACK 12/11....	1.0	2	1	10.7	1.3
76	1	78615000051	HOEGAARDEN WHITE 12/11.2 BTL	1.0	2	1	5.9	2.4
77	1	78615000001	STELLA ARTOIS 6/11.2 BTL	1.0	4	1	5.1	5.5

Segment #5 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
70	1	8769200491	SAMUEL ADAMS 76 12/12 BTL	1.0	2	1	0.0	0.0
71	1	8769200127	SAMUEL ADAMS REBEL IPA 6/12 BTL	0.8	3	1	21.9	1.0
72	1	8769210014	SAMUEL ADAMS BOSTON LAGER 12/1...	1.0	2	1	5.5	2.5
73	1	8769229103	SAMUEL ADAMS VARIETY PACK 12/12 ...	1.0	2	1	2.9	4.8

Segment #5 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

PLANOGRAM BACKING TABLE

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
65	1	8760010115	CARLSBERG 4/16.9 CAN	0.7	4	1	15.5	1.8
66	1	4257204006	Schofferhofer Grapefrt Hefewzn 6/11B	1.0	4	1	0.0	0.0
67	1	8769210012	SAMUEL ADAMS BOSTON LAGER 6/12...	1.0	4	1	10.4	2.7
68	1	8769227102	SAMUEL ADAMS CHERRY WHEAT ALE...	0.8	3	1	11.6	1.8
69	1	8769200004	SAMUEL ADAMS LIMITED SEASONAL ...	0.8	3	1	14.0	1.5

Segment #6 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
94	1	8769201103	SAMUEL ADAMS SEASONAL 12/12 BTL...	2.0	4	2	5.0	5.7
95	1	7199009516	BLUE MOON BELGIAN WHITE 12/12 BTL	2.0	4	2	7.3	3.8
96	1	7199017052	BLUE MOON BELGIAN WHITE 15/12 C...	4.0	4	2	121.2	0.2
97	1	3410051607	LEINIES SEASONAL SHANDY 12/12 BTL	2.0	4	2	3.7	7.5

Segment #6 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
90	1	8769230050	SAMUEL ADAMS SEASONAL 6/12 BTL (...	1.0	4	1	6.3	4.5
91	1	8769200848	Samuel Adams Boston 262 Marathon 12/1...	1.5	3	1	0.0	0.0
92	1	7199009554	BLUE MOON BREWMASTER VARIETY ...	1.0	2	1	7.7	1.8
93	1	7199009536	BLUE MOON SEASONAL 12/12 BTL	1.0	2	1	9.9	1.4

Segment #6 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
86	1	7199009511	BLUE MOON BELGIAN WHITE 6/12 BTL	1.0	4	1	6.5	4.3
87	1	7199009532	BLUE MOON SEASONAL 6/12 BTL	0.8	3	1	10.7	2.0
88	1	75452700022	NEW BELGIUM FAT TIRE 6/12 BTL	1.0	4	1	14.6	1.9
89	1	75452700066	NEW BELGIUM VOODOO RANGER IP...	1.0	4	1	20.2	1.4

Segment #6 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
81	1	3410051605	LEINIES SEASONAL SHANDY 6/12 BTL	1.0	4	1	5.8	4.8
82	1	3410058805	LEINIES SEASONAL 6/12 BTL	0.8	3	1	6.3	3.3
83	1	75452700421	NEW BELGIUM VOODOO RANGER IM...	0.8	3	1	0.0	0.0
84	1	75452700994	NEW BELGIUM VOODOO ROTATOR 6/...	1.5	6	2	0.0	0.0
85	1	60367510182	ALLAGASH WHITE 4/12 BTL	0.7	4	1	28.0	1.0

Segment #7 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
113	1	1820015981	SHOCK TOP BELGIAN WHITE 12/12 BTL	2.0	4	2	14.6	1.9
114	1	1820028156	SHOCK TOP BELGIAN WHITE 15/12 C...	2.0	4	2	7.8	3.6
115	1	1820020000	SHOCK TOP SEASONAL 15/12 CAN	2.0	4	2	30.1	0.9
116	1	73692011651	GOOSE ISLAND IPA 15/12 CAN	2.0	4	2	10.3	2.7
117	1	64286090024	FOUNDERS ALL DAY SESSION IPA 15/...	2.0	4	2	10.0	2.8

Segment #7 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
108	1	1820013986	SHOCK TOP BELGIAN WHITE 6/12 BTL	0.8	3	1	12.7	1.7
109	1	73692011118	GOOSE ISLAND SUMMER ALE 6/12 BTL	0.8	3	1	17.3	1.2
110	1	73692011132	GOOSE ISLAND IPA 6/12 BTL	0.8	3	1	11.6	1.8
111	1	72383000009	LAGUNITAS IPA 6/12 BTL	0.8	3	1	10.1	2.1
112	1	72383010009	LAGUNITAS IPA 12/12 BTL	1.0	2	1	5.8	2.4

PLANOGRAM BACKING TABLE

Segment #7 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
103	1	63625174135	STONE RIPPER 6/12 CAN	1.5	6	2	42.0	1.0
104	1	73692011823	GOOSE ISLAND NEXT COAST IPA 6/12...	0.8	3	1	0.0	0.0
105	1	73692011821	GOOSE ISLAND NEXT COAST IPA 12/1...	1.5	3	1	0.0	0.0
106	1	81790400083	ELYSIAN SPACE DUST IPA 6/12 BTL	1.0	4	1	15.2	1.8
107	1	72383000020	LAGUNITAS LITTLE SUMPIN 6/12 BTL	0.8	3	1	18.8	1.1

Segment #7 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
98	1	8378337521	SIERRA NEVADA PALE ALE 6/12 BTL	1.0	4	1	8.2	3.4
99	1	8378333100	SIERRA NEVADA TORPEDO IPA 6/12 B...	0.5	2	1	10.8	1.3
100	1	63625177612	STONE IPA 6/12 BTL	0.8	3	1	19.1	1.1
101	1	64286080031	FOUNDERS SOLID GOLD 12/12 CAN	1.5	3	1	0.0	0.0
102	1	64286015024	FOUNDERS ALL DAY SESSION IPA 6/1...	1.5	6	2	33.1	1.3

Segment #8 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
133	1	79603082496	KONA BIG WAVE GOLDEN ALE 12/12 C...	2.0	4	2	24.3	1.2
134	1	68174500145	Blue Point Seasonal 18/12C	2.0	2	2	0.0	0.0
135	1	68174500134	BLUE POINT TOASTED LAGER 18/12 C...	4.0	4	4	10.3	2.7
136	1	85961200134	21ST AMENDMENT VARIETY PACK 15/...	4.0	4	2	29.3	1.0
137	1	81601402080	SOUTHERN TIER OVERPACKD 15/12 ...	2.0	4	2	17.8	1.6

Segment #8 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
128	1	79603011496	KONA BIG WAVE GOLDEN ALE 6/12 BTL	0.8	3	1	6.0	3.5
129	1	68174511112	BLUE POINT TOASTED LAGER 6/12 BTL	1.0	4	1	9.8	2.8
130	1	68174511118	BLUE POINT SEASONAL 6/12 BTL	0.8	3	1	4.0	10.5
131	1	68174511118	BLUE POINT SEASONAL 6/12 BTL	0.8	3	1	4.0	10.5
132	1	68174500215	Blue Point The IPA 6/12C	1.5	6	2	0.0	0.0

Segment #8 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
123	1	63027946506	VICTORY GOLDEN MONKEY 6/12 BTL	0.8	3	1	15.2	1.4
124	1	68174511102	BLUE POINT HOPTICAL ILLUSION IPA ...	0.8	3	1	9.4	2.2
125	1	68174511130	BLUE POINT BLUEBERRY ALE 6/12 BTL	0.8	3	1	17.1	1.2
126	1	85998900522	GREENPORT HARBOR SEASONAL 6/1...	1.0	4	1	14.3	2.0
127	1	85998900504	GREENPORT HARBOR HARBOR ALE ...	0.8	3	1	20.2	1.0

Segment #8 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
118	1	85961200157	21ST AMENDMENT SPARKALE 6/12 CAN	1.5	6	2	0.0	0.0
119	1	63848900029	DOGFISH HEAD 60 MINUTE IPA 6/12 B...	0.8	3	1	21.8	1.0
120	1	4182700206	HARPOON GRATEFUL HARVEST CRA...	1.0	4	1	4.8	5.8
121	1	4182700076	HARPOON IPA 6/12 BTL	0.8	3	1	18.8	1.1
122	1	85998900520	GREENPORT HARBOR SEASONAL 6/1...	1.5	6	2	21.9	1.9

Segment #9 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
152	1	3061300056	BROOKLYN SUMMER ALE 12/12 CAN	2.0	4	2	30.7	0.9
153	1	3061300071	BROOKLYN VARIETY PACK 12/12 BTL	2.0	4	2	22.7	1.2

PLANOGRAM BACKING TABLE

154	1	1820014990	BUD LIGHT LIME 12/12 BTL	2.0	4	2	14.9	1.9
155	1	1820020080	BUD LIGHT ORANGE 12/12 BTL	2.0	4	2	21.5	1.3

Segment #9 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
148	1	1820015983	Bud Light Lime 12/12C SC	1.5	3	1	0.0	0.0
149	1	1820014991	BUD LIGHT LIME 6/12 BTL	1.0	4	1	12.1	2.3
150	1	1820020140	BUD LIGHT LEMON TEA SEASONAL 6/...	1.0	4	1	0.0	0.0
151	1	1820020139	BUD LIGHT LEMON TEA SEASONAL 12...	1.0	2	1	0.0	0.0

Segment #9 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
143	1	86273700007	MONTAUK SESSION IPA 6/12 CAN (W...	0.8	3	1	7.8	2.7
144	1	86907100027	MONTAUK WAVE CHASER 4/6/12 CAN	1.5	6	2	5.8	7.2
145	1	86273700006	MONTAUK SUMMER 6/12 CAN (WRAP)	0.8	3	1	2.1	9.8
146	1	86273700002	MONTAUK DRIFTWOOD 6/12 CAN (W... 9999999...	3	3	1	5.3	4.0
147	1	86907100026	MONTAUK WATERMELLOW 6/12 CAN	1.5	6	2	4.7	8.9

Segment #9 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
138	1	3061300001	BROOKLYN LAGER 6/12 BTL	0.8	3	1	8.1	2.6
139	1	3061300053	BROOKLYN SEASONAL 6/12 BTL	0.8	3	1	5.2	4.0
140	1	3061301956	BROOKLYN BEL AIR SOUR 6/12 CAN	1.5	6	2	0.0	0.0
141	1	3061361212	BROOKLYN DEFENDER IPA 6/12 CAN	1.5	6	2	0.0	0.0
142	1	85909300246	SIXPOINT RESIN IIPA 6/12 CAN	1.5	6	2	14.6	2.9

Segment #10 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
168	1	1820011308	BUD 18/12 BTL	2.0	2	2	4.0	3.5
169	1	1820011168	BUD 24/12 CAN	4.0	4	4	3.6	7.8
170	1	1820011218	BUD 18/12 CAN	4.0	4	4	4.1	6.8

Segment #10 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
164	1	1820000771	BUD 12/12 BTL	1.0	2	1	3.3	4.2
165	1	1820011047	BUD 12/12 CAN	3.0	6	2	4.0	15.8
166	1	1820011047	BUD 12/12 CAN	1.5	3	1	4.0	15.8
167	1	1820008981	BUD 8/16 CAN	1.3	4	1	26.8	1.0

Segment #10 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
160	1	1820012998	LANDSHARK 12/12 BTL	1.0	2	1	7.0	2.0
161	1	1820018992	BUD LIGHT PLATINUM 12/12 BTL	1.0	2	1	16.1	0.9
162	1	1820020068	Budweiser Reserve Series 12/12B	1.0	2	1	0.0	0.0
163	1	1820000834	BUD 6/12 BTL	1.0	4	1	11.7	2.4

Segment #10 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
156	1	1820012982	LANDSHARK 6/12 BTL	1.0	4	1	18.4	1.5
157	1	1820018993	BUD LIGHT PLATINUM 6/12 BTL	1.0	4	1	13.5	2.1
158	1	1820020069	BUDWEISER RESERVE SEASONAL 6/...	1.0	4	1	3.5	8.0
159	1	1820000016	BUD 6/12 CAN	0.8	3	1	16.5	1.3

PLANOGRAM BACKING TABLE

Segment #11 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
180	1	1820053308	BUD LIGHT 18/12 BTL	2.0	2	2	4.7	4.5
181	2	1820053168	BUD LIGHT 24/12 CAN	8.0	8	4	4.7	11.9

Segment #11 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
177	1	1820053308	BUD LIGHT 18/12 BTL	1.0	1	1	4.7	4.5
178	1	1820053047	BUD LIGHT 12/12 CAN	1.5	3	1	5.2	12.1
179	1	1820053218	BUD LIGHT 18/12 CAN	6.0	6	2	4.4	9.6

Segment #11 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
174	1	1820053047	BUD LIGHT 12/12 CAN	3.0	6	2	5.2	12.1
175	1	1820000769	BUD LIGHT 12/12 BTL	1.5	3	1	4.9	7.2
176	1	1820000769	BUD LIGHT 12/12 BTL	1.0	2	1	4.9	7.2

Segment #11 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
171	1	1820008989	BUD LIGHT 8/16 CAN	1.3	4	1	26.0	1.1
172	1	1820000106	BUD LIGHT 6/12 CAN	1.0	4	1	12.3	2.3
173	1	1820000833	BUD LIGHT 6/12 BTL	1.0	4	1	8.0	3.5

Segment #12 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
194	1	7199030078	COORS LIGHT 18/12 BTL	2.0	2	2	5.5	3.8
195	1	7199031600	COORS LIGHT 24/12 CAN	4.0	4	4	4.9	5.7
196	1	7199000048	COORS LIGHT 12/12 CAN	6.0	12	4	4.7	18.0

Segment #12 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 29.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
191	1	7199030017	COORS LIGHT 18/12 CAN	6.0	6	2	6.0	8.1
192	1	7199030017	COORS LIGHT 18/12 CAN	1.0	1	1	6.0	8.1
193	1	7199030078	COORS LIGHT 18/12 BTL	1.0	1	1	5.5	3.8

Segment #12 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 41.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
187	1	7199030069	COORS LIGHT 12/12 BTL	1.0	2	1	3.7	7.6
188	1	7199030069	COORS LIGHT 12/12 BTL	1.0	2	1	3.7	7.6
189	1	7199030125	COORS LIGHT 12/8 CAN	3.0	6	2	0.0	0.0
190	1	7199030125	COORS LIGHT 12/8 CAN	1.0	2	1	0.0	0.0

Segment #12 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
182	1	7199030005	COORS LIGHT 6/12 BTL	0.8	3	1	7.1	3.0
183	1	7199000008	COORS LIGHT 6/12 CAN	1.5	6	2	17.6	2.4
184	1	7199030104	COORS LIGHT 9/16 BTL (AL)	1.5	3	1	9.7	2.2
185	1	3410057709	LITE 12/8 CAN	1.5	3	1	0.0	0.0
186	1	3410057505	LITE 6/12 BTL	0.8	3	1	15.4	1.4

PLANOGRAM BACKING TABLE

Segment #13 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
208	1	3410057306	LITE 24/12 CAN	2.0	2	1	6.0	2.3
209	1	3410057340	LITE 18/12 CAN	4.0	4	4	5.2	5.4
210	1	3410057256	LITE 18/12 BTL	2.0	2	2	9.1	1.5
211	1	8992427896	YUENGLING LAGER 12/12 BTL	2.0	4	2	5.2	5.4

Segment #13 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
205	1	3410057509	LITE 12/12 BTL	1.5	3	1	3.9	5.4
206	1	8992429386	YUENGLING BLACK AND TAN 12/12 BTL	1.5	3	1	6.6	3.2
207	1	8992423040	YUENGLING LIGHT 12/12 BTL	1.0	2	1	9.6	1.5

Segment #13 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
202	1	3410057636	LITE 12/12 CAN	3.0	6	2	3.9	10.8
203	1	8992427898	YUENGLING LAGER 12/12 CAN	2.0	4	2	19.8	1.4
204	1	8992433125	YUENGLING GOLDEN PILSNER 12/12 ...	1.5	3	1	9.5	2.2

Segment #13 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
197	1	3410057023	LITE 9/16 BTL (AL)	1.5	3	1	9.3	2.3
198	1	8992427891	YUENGLING LAGER 6/12 BTL	0.8	3	1	4.6	4.5
199	1	8992433567	YUENGLING GOLDEN PILSNER 6/12 B...	0.1	3	1	15.6	1.4
200	1	3410017505	MGD 6/12 BTL	0.8	3	1	24.0	0.9
201	1	3410001505	HIGH LIFE 6/12 BTL	0.8	3	1	12.2	1.7

Segment #14 : Shelf #4 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
226	1	3410001509	HIGH LIFE 12/12 BTL	2.0	4	2	4.6	6.0
227	1	7248002403	SCHAEFER 12/12 CAN	2.0	4	2	9.1	3.1
228	1	2210000170	PABST 12/12 CAN	2.0	4	2	3.9	7.2
229	1	7199028151	KEYSTONE ICE 15/12 CAN	2.0	4	2	0.0	0.0
230	1	7199048045	KEYSTONE LIGHT 15/12 CAN	4.0	4	2	112.0	0.3

Segment #14 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
222	1	7143934806	ROLLING ROCK 6/12 BTL	1.3	5	1	43.8	0.8
223	1	7143945712	ROLLING ROCK 12/12 BTL	1.0	2	1	7.1	2.0
224	1	1820000784	ODOULS NEAR BEER 6/12 BTL	1.0	4	1	7.8	3.6
225	1	1820079047	ODOULS NEAR BEER 12/12 CAN	1.5	3	1	14.8	1.4

Segment #14 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 40.00 in

POS #	FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
217	1	5230002545	OLD MILWAUKEE NEAR BEER 12/12 C...	1.0	2	1	5.1	2.7
218	1	7199077005	COORS NEAR BEER 6/12 BTL	0.8	3	1	21.0	1.0
219	1	4257205715	CLAUSTHALER PREMIUM 6/12 BTL	0.8	3	1	20.2	1.0
220	1	8248812700	BECKS NEAR BEER 6/12 BTL	1.0	4	1	6.1	4.6
221	1	7289000621	Heineken 0.0 6/12B	1.0	4	1	0.0	0.0

Segment #14 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 53.00 in

PLANOGRAM BACKING TABLE

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
212	2	63598524583	Mikes HARDER Lemonade 1/23.5C	1.3	16	1	0.0	0.0
213	2	8769283231	TWISTED TEA ORIGINAL 1/24 CAN	1.3	16	1	13.2	8.5
214	2	68174500151	BLUE POINT TOASTED LAGER 1/25 C...	1.1	16	1	0.0	0.0
215	2	64286013031	FOUNDERS SOLID GOLD 1/19.2 CAN	0.7	16	1	0.0	0.0
216	2	75452700905	NEW BELGIUM VOODOO RANGER IP...	1.5	18	1	0.0	0.0

Segment #15 : Shelf #5 DEPTH: 29 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 6.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
250	1	1820020077	NATURAL LIGHT 15/12 CAN	3.0	6	3	5.7	7.3
251	1	1820028443	NATURAL ICE 15/12 CAN	3.0	6	3	8.6	4.9
252	1	1820020078	NATTY DADDY 15/12 CAN	3.0	6	3	12.4	3.4
253	1	3410031344	MILWAUKEES BEST 15/12 CAN	2.0	4	2	84.1	0.3

Segment #15 : Shelf #4 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 27.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
245	2	1820025002	NATURAL LIGHT 1/25 CAN	1.1	16	1	6.6	16.8
246	2	1820025013	NATTY DADDY 1/25 CAN	1.3	16	1	2.2	51.2
247	2	1820025008	NATURAL ICE 1/25 CAN	1.3	16	1	4.4	25.5
248	2	1820025006	BUD ICE 1/25 CAN	1.1	16	1	4.4	25.5
249	2	7199047712	KEYSTONE ICE 1/24 CAN	1.3	16	1	9.4	12.0

Segment #15 : Shelf #3 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 36.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
240	1	1820021986	BUD LIGHT 3/25 CAN	2.0	8	1	9.6	5.8
241	2	1820025001	BUD LIGHT 1/25 CAN	1.1	16	1	18.3	6.1
242	2	3410000355	LITE 1/24 CAN	1.3	16	1	29.4	3.8
243	2	3410000005	HIGH LIFE 1/24 CAN	1.3	16	1	16.0	7.0
244	1	68907661175	NARRAGANSETT 1/24 CAN	0.7	8	1	9.9	5.7

Segment #15 : Shelf #2 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 46.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
236	1	1820021985	BUD 3/25 CAN	2.0	8	1	6.9	8.1
237	2	1820025000	BUD 1/25 CAN	1.1	16	1	12.2	9.2
238	1	7199030120	COORS LIGHT 3/24 CAN	2.0	8	1	13.2	4.2
239	2	7199030065	COORS LIGHT 1/24 CAN	1.3	16	1	30.0	3.7

Segment #15 : Shelf #1 DEPTH: 24 in WIDTH: 30 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 56.00 in

POS	# FAC	UPC	NAME	CASES	CAPACITY	UNITS HIGH	DOS	MVMT
231	2	7289000454	HEINEKEN 3/16 CAN	0.8	6	1	6.0	7.0
232	2	7089701331	FOSTERS 1/25.4 CAN	1.2	14	1	7.1	13.8
233	1	8760010139	CARLSBERG 1/33.8 CAN	1.2	7	1	8.2	6.0
234	2	2210000004	PABST 1/24 CAN	1.3	16	1	5.5	20.5
235	3	7199010071	COORS BANQUET 1/24 CAN	2.0	24	1	3.4	50.0

SKUs on Planogram: 242