



1963_4_DOOR_COLD





1963_4_DOOR_COLD





1963_4_DOOR_COLD



Printed: 7/9/2020

Traffic Flow Left-right

POG: 1963.psa

| |
|---------------------|
| POG Size: 7'8.00 |
| Segments 1 - 4 of 4 |
| Page: 3 |




1963_4_DOOR_COLD





1963_4_DOOR_COLD





1963_4_DOOR_COLD





1963_4_DOOR_COLD







SCHEMATIC BACKING REPORT




1963.psa

Planogram: 1963_4_DOOR_COLD




Segment #1 : Shelf #1 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 41.50 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-------------|---------------------|------------|-----------|------------|--------|------|---|
| 10 | 1 | 85389700227 | BON & VIV VR 12PK | 1.00 | 2.00 | 1.00 | 72.92 | 0.19 |  |
| 11 | 1 | 1820020208 | BL SELTZER 12PKCN | 9999999... | 2.00 | 1.00 | 363.64 | 0.08 |  |
| 12 | 1 | 8769282102 | ANGRY ORCH CRSP 6P | 0.75 | 3.00 | 1.00 | 39.03 | 0.54 |  |
| 13 | 1 | 86907100027 | MONTAUK WAVE CHA... | 9999999... | 4.00 | 1.00 | 0.00 | 0.00 |  |




Segment #1 : Shelf #2 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 30.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-------------|-----------------------|------------|-----------|------------|-------|------|--|
| 14 | 1 | 7199009516 | BLUE MOON BELGIAN ... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 15 | 1 | 64286090024 | FOUNDERS ALL DAY I... | 2.00 | 2.00 | 2.00 | 0.00 | 0.00 |  |
| 16 | 1 | 8248812300 | BECKS 12 PK BT | 1.00 | 2.00 | 1.00 | 14.00 | 1.00 |  |




Segment #1 : Shelf #3 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 22.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|------------|------------------------|------------|-----------|------------|--------|------|---|
| 17 | 1 | 8769200686 | TRULY BERRY 12PKCN | 1.00 | 2.00 | 1.00 | 121.74 | 0.12 |  |
| 18 | 1 | 8769200804 | TRULY TROP 12PKCN | 9999999... | 2.00 | 1.00 | 363.64 | 0.08 |  |
| 19 | 1 | 8769200991 | TRULY SPIKED & SPAR... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |

Segment #1 : Shelf #4 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 0.00 in


| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-------------|----------------------|------------|-----------|------------|-------|------|---|
| 20 | 1 | 63598554890 | WHT CLW SLZ 12PKCN | 4.00 | 8.00 | 2.00 | 23.48 | 2.38 |  |
| 21 | 1 | 63598580006 | WHITE CLAW VARIET... | 9999999... | 8.00 | 2.00 | 0.00 | 0.00 |  |
| 22 | 1 | 3354400043 | CORONA HARD SELTZ... | 9999999... | 8.00 | 2.00 | 0.00 | 0.00 |  |

Segment #2 : Shelf #1 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 41.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|------------|-----------------------|------------|-----------|------------|-------|------|---|
| 30 | 1 | 7289000011 | HEINEKEN 6 PK BT | 1.00 | 4.00 | 1.00 | 18.67 | 1.50 |  |
| 31 | 1 | 7289000020 | HEINEKEN 12PK CAN | 1.00 | 2.00 | 1.00 | 11.03 | 1.27 |  |
| 32 | 1 | 7289000621 | HEINEKEN 0.0 NA 6/12B | 9999999... | 3.00 | 1.00 | 0.00 | 0.00 |  |


SCHEMATIC BACKING REPORT


1963.psa

| | | | | | | | | | |
|----|---|------------|------------------|------|------|------|-------|------|---|
| 33 | 1 | 7861500001 | STELLAART 6PK BT | 0.75 | 3.00 | 1.00 | 16.06 | 1.31 |  |
|----|---|------------|------------------|------|------|------|-------|------|---|

Segment #2 : Shelf #2 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 32.00 in


| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|


| | | | | | | | | | |
|----|---|-------------|----------------------|------------|------|------|------|------|---|
| 34 | 1 | 18195400004 | PERONI NASTRO AZZ... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
|----|---|-------------|----------------------|------------|------|------|------|------|---|

| | | | | | | | | | |
|----|---|-------------|-------------------|------|------|------|------|------|---|
| 35 | 1 | 78615000014 | STELLAART 12PK BT | 1.00 | 2.00 | 1.00 | 5.13 | 2.73 |  |
|----|---|-------------|-------------------|------|------|------|------|------|---|

Segment #2 : Shelf #3 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 21.00 in


| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|


| | | | | | | | | | |
|----|---|------------|------------------|------|------|------|------|------|---|
| 36 | 1 | 7289000159 | HEINEKEN LT 12PK | 1.00 | 2.00 | 1.00 | 2.64 | 5.31 |  |
|----|---|------------|------------------|------|------|------|------|------|---|

| | | | | | | | | | |
|----|---|------------|----------------|------|------|------|------|------|---|
| 37 | 2 | 8066095615 | CORONA 12PK BT | 2.00 | 4.00 | 1.00 | 4.11 | 6.81 |  |
|----|---|------------|----------------|------|------|------|------|------|---|

Segment #2 : Shelf #4 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 0.00 in


| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|


| | | | | | | | | | |
|----|---|------------|-------------------|------|------|------|------|------|---|
| 38 | 1 | 7289000016 | HEINEKEN 12PK BTL | 3.00 | 6.00 | 2.00 | 4.42 | 9.50 |  |
|----|---|------------|-------------------|------|------|------|------|------|---|


| | | | | | | | | | |
|----|---|------------|---------------------|------------|------|------|------|------|--|
| 39 | 1 | 8066095608 | CORONA EXTRA 24/12B | 9999999... | 2.00 | 2.00 | 0.00 | 0.00 |  |
|----|---|------------|---------------------|------------|------|------|------|------|--|


Segment #3 : Shelf #1 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 41.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|

| | | | | | | | | | |
|----|---|------------|-----------------|------|------|------|------|------|---|
| 48 | 1 | 8066095695 | CORONA 12PK CAN | 1.00 | 2.00 | 1.00 | 6.74 | 2.08 |  |
|----|---|------------|-----------------|------|------|------|------|------|---|


| | | | | | | | | | |
|----|---|------------|---------------|------|------|------|------|------|---|
| 49 | 1 | 8066095605 | CORONA 6PK BT | 0.75 | 3.00 | 1.00 | 8.53 | 2.46 |  |
|----|---|------------|---------------|------|------|------|------|------|---|


| | | | | | | | | | |
|----|---|------------|-------------------|------|------|------|-------|------|---|
| 50 | 1 | 3354495041 | CORONA PRM 6PK BT | 0.75 | 3.00 | 1.00 | 25.99 | 0.81 |  |
|----|---|------------|-------------------|------|------|------|-------|------|---|


| | | | | | | | | | |
|----|---|------------|--------------------|------------|------|------|------|------|---|
| 51 | 1 | 8066095785 | MODELO NEGRA 6/12B | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
|----|---|------------|--------------------|------------|------|------|------|------|---|

Segment #3 : Shelf #2 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 30.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|


| | | | | | | | | | |
|----|---|------------|-------------------|------|------|------|-------|------|---|
| 52 | 1 | 8066095675 | CORONA LT 12PK BT | 1.00 | 2.00 | 1.00 | 17.33 | 0.81 |  |
|----|---|------------|-------------------|------|------|------|-------|------|---|

| | | | | | | | | | |
|----|---|------------|------------------|------|------|------|-------|------|---|
| 53 | 1 | 8066095625 | CORONA LT 6PK BT | 0.75 | 3.00 | 1.00 | 30.35 | 0.69 |  |
|----|---|------------|------------------|------|------|------|-------|------|---|

| | | | | | | | | | |
|----|---|------------|--------------------|------|------|------|-------|------|---|
| 54 | 1 | 3354495053 | CORONA FAM 12PK BT | 1.00 | 2.00 | 1.00 | 14.55 | 0.96 |  |
|----|---|------------|--------------------|------|------|------|-------|------|---|


Segment #3 : Shelf #3 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 20.00 in

| POS # | FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|
|-------|-----|-----|------|-------|-----------|------------|-----|------|---------|



| | | | | | | | | | |
|----|---|------------|--------------------|------|------|------|-------|------|---|
| 55 | 1 | 3354495042 | CORONA PRM 12PK BT | 1.00 | 2.00 | 1.00 | 24.26 | 0.58 |  |
|----|---|------------|--------------------|------|------|------|-------|------|---|

SCHEMATIC BACKING REPORT




















1963.psa

| | | | | | | | | | |
|----|---|------------|---------------|------|------|------|------|-------|---|
| 56 | 1 | 8066095757 | MODELO 12PKBT | 1.00 | 2.00 | 1.00 | 4.04 | 10.39 |  |
|----|---|------------|---------------|------|------|------|------|-------|---|

Segment #3 : Shelf #4 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 0.00 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|------------|-----------------------|------------|-----------|------------|------|-------|---|
| 57 | 1 | 8066095776 | MODELO ESPECIAL 24... | 9999999... | 3.00 | 2.00 | 0.00 | 0.00 |  |
| 58 | 1 | 8066095757 | MODELO 12PKBT | 2.00 | 4.00 | 2.00 | 4.04 | 10.39 |  |

Segment #4 : Shelf #1 DEPTH: 24 in WIDTH: 165 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 68.00 in





























| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|-------------|------------------------|------------|-----------|------------|--------|------|---|
| 1 | 1 | 8066095776 | MODELO ESPECIAL 24... | 9999999... | 1.00 | 1.00 | 0.00 | 0.00 |  |
| 2 | 1 | 63598580006 | WHITE CLAW VARIET... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 3 | 1 | 63598500004 | WHITE CLAW SURGE ... | 9999999... | 9.00 | 1.00 | 0.00 | 0.00 |  |
| 23 | 1 | 7089701331 | FOSTERS LAGER 1/25C | 9999999... | 7.00 | 1.00 | 0.00 | 0.00 |  |
| 24 | 1 | 7289000621 | HEINEKEN 0.0 NA 6/12B | 9999999... | 3.00 | 1.00 | 0.00 | 0.00 |  |
| 25 | 1 | 8066095785 | MODELO NEGRA 6/12B | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 26 | 1 | 18195400004 | PERONI NASTRO AZZ... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 40 | 1 | 8769200991 | TRULY SPIKED & SPAR... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 41 | 1 | 1820025013 | NATTY DADDY 1/25C | 9999999... | 8.00 | 1.00 | 0.00 | 0.00 |  |
| 42 | 1 | 1820096721 | MICHELOB ULTRA 18/1... | 9999999... | 1.00 | 1.00 | 0.00 | 0.00 |  |
| 43 | 1 | 8066095608 | CORONA EXTRA 24/12B | 9999999... | 1.00 | 1.00 | 0.00 | 0.00 |  |
| 59 | 1 | 1820020210 | BUD LIGHT PEELS VA... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 60 | 1 | 7199009516 | BLUE MOON BELGIAN ... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 61 | 1 | 3354400043 | CORONA HARD SELTZ... | 9999999... | 2.00 | 1.00 | 0.00 | 0.00 |  |
| 83 | 1 | 1820028443 | NATURAL ICE 15/12C | 9999999... | 1.00 | 1.00 | 0.00 | 0.00 |  |
| 84 | 1 | 86907100027 | MONTAUK WAVE CHA... | 9999999... | 6.00 | 2.00 | 0.00 | 0.00 |  |
| 85 | 1 | 8769200804 | TRULY TROP 12PKCN | 9999999... | 2.00 | 1.00 | 363.64 | 0.08 |  |
| 86 | 1 | 1820020208 | BL SELTZER 12PKCN | 9999999... | 2.00 | 1.00 | 363.64 | 0.08 |  |
| 87 | 1 | 64286090024 | FOUNDERS ALL DAY I... | 1.00 | 1.00 | 1.00 | 0.00 | 0.00 |  |

Segment #4 : Shelf #2 DEPTH: 24 in WIDTH: 165 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 55.00 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|-----|------|-------|-----------|------------|-----|------|---------|
|-----|-------|-----|------|-------|-----------|------------|-----|------|---------|

SCHEMATIC BACKING REPORT








1963.psa

| | | | | | | | | | | | |
|----|---|------------|--------------------|------------|------|------|--------|------|---|---|---|
| 4 | 1 | 8769230050 | SAM ADM SEAS 6PKBT | 9999999... | 3.00 | 1.00 | 68.18 | 0.31 | 0 |  | 0 |
| 5 | 1 | 2210000170 | PABST 12 PACK CAN | 9999999... | 2.00 | 1.00 | 181.82 | 0.08 | 0 |  | 0 |
| 6 | 1 | 1820053047 | BUD LT 12PK CANS | 9999999... | 2.00 | 1.00 | 19.15 | 0.73 | 0 |  | 0 |
| 7 | 1 | 1820025001 | BUD LIGHT | 9999999... | 8.00 | 1.00 | 16.93 | 3.31 | 0 |  | 0 |
| 8 | 1 | 1820025000 | BUDWEISER | 9999999... | 8.00 | 1.00 | 14.56 | 3.85 | 0 |  | 0 |
| 9 | 1 | 8769210012 | SAMADM BOSTLGR 6PK | 9999999... | 3.00 | 1.00 | 68.18 | 0.31 | 0 |  | 0 |
| 27 | 1 | 1820020083 | MICH PG 12PK BT | 9999999... | 2.00 | 1.00 | 90.91 | 0.15 | 0 |  | 0 |
| 28 | 1 | 1820020079 | BUD LT ORG 6PK BTL | 9999999... | 3.00 | 1.00 | 136.36 | 0.15 | 0 |  | 0 |
| 29 | 1 | 1820013986 | SHOCK TOPALE 6PKBT | 9999999... | 3.00 | 1.00 | 136.36 | 0.15 | 0 |  | 0 |
| 44 | 1 | 8769200424 | TRULY CIT VAR 12PK | 9999999... | 2.00 | 1.00 | 52.04 | 0.27 | 0 |  | 0 |
| 45 | 1 | 1820005990 | MICH ULTRA 12PKBT | 9999999... | 2.00 | 1.00 | 60.61 | 0.23 | 0 |  | 0 |
| 46 | 1 | 1820000771 | BUD 12PK BT | 9999999... | 2.00 | 1.00 | 90.91 | 0.15 | 0 |  | 0 |
| 47 | 1 | 1820000106 | BUD LT 6PK CAN | 9999999... | 6.00 | 2.00 | 60.69 | 0.69 | 0 |  | 0 |
| 62 | 1 | 3410001509 | MIL HIGH LF 12PKBT | 9999999... | 2.00 | 1.00 | 45.45 | 0.31 | 0 |  | 0 |
| 63 | 1 | 3410008716 | RDDS APPL ALE 6PK | 9999999... | 3.00 | 1.00 | 78.07 | 0.27 | 0 |  | 0 |
| 64 | 1 | 3410051605 | LEIN SNL SHND 6PK | 9999999... | 3.00 | 1.00 | 136.36 | 0.15 | 0 |  | 0 |
| 65 | 1 | 3410051681 | CAPE LINE VTY 12PK | 9999999... | 2.00 | 1.00 | 90.91 | 0.15 | 0 |  | 0 |
| 88 | 1 | 3410057340 | MILLER LITE 18PKCN | 9999999... | 1.00 | 1.00 | 184.21 | 0.04 | 0 |  | 0 |
| 89 | 1 | 3410057636 | MILLER LTE 12PK CN | 9999999... | 2.00 | 1.00 | 121.74 | 0.12 | 0 |  | 0 |
| 90 | 1 | 7199000048 | COORS LT 12PK CAN | 9999999... | 2.00 | 1.00 | 8.67 | 1.62 | 0 |  | 0 |
| 91 | 1 | 8382012360 | GUIN DRGHT 4PK CAN | 9999999... | 4.00 | 1.00 | 48.53 | 0.58 | 0 |  | 0 |
| 92 | 1 | 7199009511 | BLUE MOON 6PK BT | 9999999... | 3.00 | 1.00 | 21.00 | 1.00 | 0 |  | 0 |
| 93 | 1 | 7199010071 | COORS SGL CAN | 9999999... | 8.00 | 1.00 | 18.91 | 2.96 | 0 |  | 0 |
| 94 | 1 | 7199030069 | COORS LT 12PK BT | 9999999... | 2.00 | 1.00 | 40.46 | 0.35 | 0 |  | 0 |
| 95 | 1 | 7199030078 | COORS LT 18PK BT | 9999999... | 1.00 | 1.00 | 30.30 | 0.23 | 0 |  | 0 |
| 96 | 1 | 8066095621 | CORONA LT CAN 12PK | 9999999... | 2.00 | 1.00 | 60.61 | 0.23 | 0 |  | 0 |
| 97 | 1 | 3354400013 | CORNA REFSC 12PKCN | 9999999... | 2.00 | 1.00 | 52.04 | 0.27 | 0 |  | 0 |
| 98 | 1 | 7231123021 | SOL 12PKBT | 9999999... | 2.00 | 1.00 | 181.82 | 0.08 | 0 |  | 0 |
| 99 | 1 | 7199030120 | COORS LT 3PK | 9999999... | 2.00 | 1.00 | 7.91 | 1.77 | 0 | | 0 |




SCHEMATIC BACKING REPORT

1963.psa




Segment #4 : Shelf #3 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 41.50 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|-------------|----------------------|------------|-----------|------------|-------|------|---|
| 66 | 1 | 63598500004 | WHITE CLAW SURGE ... | 9999999... | 9.00 | 1.00 | 0.00 | 0.00 |  |
| 67 | 1 | 7089701331 | FOSTERS LAGER 1/25C | 9999999... | 7.00 | 1.00 | 0.00 | 0.00 |  |
| 68 | 1 | 7289000119 | HEINEKEN SGL CN | 0.67 | 8.00 | 1.00 | 9.22 | 6.08 |  |
| 69 | 1 | 8066095643 | CORONA EXTRA CAN | 0.67 | 8.00 | 1.00 | 10.40 | 5.38 |  |
| 70 | 1 | 8066095721 | MODELO SGL CN | 0.67 | 8.00 | 1.00 | 8.99 | 6.23 |  |
| 71 | 1 | 7199030065 | COORS LT SGL CAN | 0.67 | 8.00 | 1.00 | 13.74 | 4.08 |  |
| 72 | 1 | 1820025013 | NATTY DADDY 1/25C | 9999999... | 8.00 | 1.00 | 0.00 | 0.00 |  |





Segment #4 : Shelf #4 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 29.00 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|------------|-----------------------|------------|-----------|------------|-------|------|---|
| 73 | 1 | 1820020210 | BUD LIGHT PEELS VA... | 9999999... | 3.00 | 1.00 | 0.00 | 0.00 |  |
| 74 | 1 | 7199000008 | COORS LT 6PK CN | 2.00 | 8.00 | 2.00 | 35.51 | 1.58 |  |
| 75 | 1 | 1820028443 | NATURAL ICE 15/12C | 9999999... | 2.00 | 2.00 | 0.00 | 0.00 |  |

Segment #4 : Shelf #5 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 19.00 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|------------|-------------------|-------|-----------|------------|------|------|---|
| 76 | 1 | 8066095765 | MODELO ESP 6PK BT | 0.50 | 2.00 | 1.00 | 4.14 | 3.38 |  |
| 77 | 1 | 1820011047 | BUD 12PK CAN | 1.00 | 2.00 | 1.00 | 8.27 | 1.69 |  |
| 78 | 2 | 7199030017 | COORS LT 18PK CAN | 2.00 | 2.00 | 1.00 | 9.33 | 1.50 |  |

Segment #4 : Shelf #6 DEPTH: 24 in WIDTH: 23 in DISTANCE FROM TOP OF BASE SHELF TO BOTTOM OF SHELF: 0.00 in

| POS | # FAC | UPC | NAME | CASES | CAPACI... | UNITS HIGH | DOS | MVMT | Barcode |
|-----|-------|------------|------------------------|------------|-----------|------------|-------|------|---|
| 79 | 1 | 8066095715 | MODELO ESP 12PKCN | 2.00 | 4.00 | 2.00 | 13.48 | 2.08 |  |
| 80 | 1 | 1820096721 | MICHELOB ULTRA 18/1... | 9999999... | 3.00 | 1.00 | 0.00 | 0.00 |  |
| 81 | 1 | 1820053218 | BUD LT 18PK CAN | 3.00 | 3.00 | 1.00 | 60.69 | 0.35 |  |
| 82 | 1 | 1820011218 | BUD 18PK CAN | 3.00 | 3.00 | 1.00 | 28.73 | 0.73 |  |

SKUs on Planogram: 79